
1. IDENTIFICATION

Product Name	3M™ Novec™ 1230 (Fire Extinguishing Agent, Pressurized and Non-pressurized)
Recommended use of the chemical and restrictions on use	
Identified uses	Fire Extinguishing Agent
Restrictions on use	Consult applicable fire protection codes
Company Identification	Kidde-Fenwal, Inc. 400 Main Street Ashland, MA 01721 USA
Customer Information Number	(508) 881-2000
Emergency Telephone Number	
CHEMTREC Number	(800) 424-9300 (703) 527-3887 (International)
Issue Date	April 10, 2015
Supersedes Date	February 9, 2012

Safety Data Sheet prepared in accordance with OSHA's Hazard Communication Standard (29 CFR 1910.1200) and the Globally Harmonized System of Classification and Labelling of Chemicals (GHS)

2. HAZARD IDENTIFICATION

This SDS covers the product listed above as sold in pressurized and non-pressurized containers. GHS classifications for both forms are listed below.

GHS Classification – Pressurized**Hazard Classification**

Chronic hazard to the aquatic environment - Category 3 (This classification not adopted by OSHA)
Gas under pressure – Compressed gas

Label Elements

Hazard Symbols



Signal Word: Warning

2. HAZARD IDENTIFICATION

Hazard Statements

Harmful to aquatic life with long lasting effects.
Contents under pressure; may explode if heated.

Precautionary Statements

Prevention

Avoid release to the environment.

Response

None

Storage

Protect from sunlight.
Store in well-ventilated place.

Disposal

Dispose of contents/container in accordance with local regulation.

GHS Classification: Non - pressurized

Hazard Classification

Chronic hazard to the aquatic environment - Category 3 (This classification not adopted by OSHA)

Label Elements

Hazard Symbols
None

Signal Word: None

Hazard Statements

Harmful to aquatic life with long lasting effects.

Precautionary Statements

Prevention

Avoid release to the environment.

Response

None

Storage

None

Disposal

Dispose of contents/container in accordance with local regulation.

Other Hazards

None identified.

Specific Concentration Limits

The values listed below represent the percentages of ingredients of unknown toxicity.

Acute oral toxicity	0%
Acute dermal toxicity	0%
Acute inhalation toxicity	0%
Acute aquatic toxicity	0%

3. COMPOSITION/INFORMATION ON INGREDIENTS

This product is a substance.

Component	CAS Number	Concentration
1,1,1,2,2,4,5,5,5,-Nonafluoro-4-(trifluoromethyl)-3-pentanone	756-13-8	>99.9%

Note: Pressurized product uses nitrogen as the expellant.

4. FIRST- AID MEASURES

Description of necessary first-aid measures

Eyes

Immediately flood the eye with plenty of water for at least 15 minutes, holding the eye open. Obtain medical attention if soreness or redness persists.

Skin

Wash skin thoroughly with soap and water. Obtain medical attention if irritation persists.

Ingestion

Rinse mouth. Obtain medical attention if you feel unwell.

Inhalation

Move victim to fresh air. Obtain medical attention immediately for any breathing difficulty.

Most important symptoms/effects, acute and delayed

Aside from the information found under Description of necessary first aid measures (above) and Indication of immediate medical attention and special treatment needed, no additional symptoms and effects are anticipated.

Indication of immediate medical attention and special treatment needed

Notes to Physicians

Treat symptomatically.

5. FIRE - FIGHTING MEASURES

Suitable Extinguishing Media

This preparation is used as an extinguishing agent and therefore is not a problem when trying to control a blaze. Use extinguishing agent appropriate to other materials involved. Keep pressurized containers and surroundings cool with water spray as they may rupture or burst in the heat of a fire

5. FIRE - FIGHTING MEASURES

Specific hazards arising from the chemical

Predominant decomposition product is hydrogen fluoride in fire situations. By-products are irritating and potentially toxic. Pressurized containers may explode in heat of fire.

Special Protective Actions for Fire-Fighters

Wear full protective clothing and self-contained breathing apparatus as appropriate for specific fire conditions.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Wear appropriate protective clothing. Prevent skin and eye contact. Remove leaking container to a safe place. Ventilate the area.

Environmental Precautions

Prevent large quantities of the material from entering drains or watercourses.

Methods and materials for containment and cleaning up

Contain and absorb using earth, sand or other inert material. Transfer into suitable containers for recovery or disposal.

7. HANDLING AND STORAGE

Precautions for safe handling

Wear appropriate protective clothing.

Conditions for safe storage

Pressurized containers should be properly stored and secured to prevent falling or being knocked over. Do not drag, slide or roll pressurized containers. Do not drop pressurized containers or permit them to strike against each other. Never apply flame or localized heat directly to any part of the pressurized or plastic container. Store pressurized and plastic containers away from high heat sources. Storage area should be: - cool - dry - well ventilated - under cover - out of direct sunlight

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure limits are listed below, if they exist.

3M™ Novec™ 1230

Manufacturer's recommended exposure limit: 150 ppm, 8 hr TWA

Appropriate engineering controls

Engineering methods to prevent or control exposure are preferred. Methods include process or personnel enclosure, mechanical ventilation (dilution and local exhaust), and control of process conditions.

Individual protection measures

Respiratory Protection

Wear respiratory protection if there is a risk of exposure to high vapor concentrations, aerosols or if material is exposed to extreme overheating. The specific respirator selected must be based on the airborne concentration found in the workplace and must not exceed the working limits of the respirator.

Skin Protection

Gloves

Eye/Face Protection

Chemical goggles or safety glasses with side shields.

Body Protection

Normal work wear.

9. PHYSICAL AND CHEMICAL PROPERTIES

Non- Pressurized

Appearance

	Physical State	Liquid
	Color	Colorless
Odor		Slight
Odor Threshold		No data available
pH		Not applicable
Specific Gravity		1.6
Boiling Range/Point (°C/F)		49.2 °C/120.6 °F
Melting Point (°C/F)		-108 °C/-162.4 °F
Flash Point (PMCC) (°C/F)		Not flammable
Vapor Pressure		0.404 bar (5.87 psig) @ 25 °C
Evaporation Rate (BuAc=1)		>1
Solubility in Water		Nil
Vapor Density (Air = 1)		11.6
VOC (g/l)		1600 g/l
VOC (%)		100%
Partition coefficient (n-octanol/water)		No data available
Viscosity		0.6 centipoise @ 25 °C
Auto-ignition Temperature		Not applicable
Decomposition Temperature		No data available
Upper explosive limit		None detected
Lower explosive limit		None detected
Flammability (solid, gas)		No data available

Expellant - Nitrogen

Appearance

	Physical State	Compressed gas
	Color	Colorless
Odor		None
Odor Threshold		No data available
pH		Not applicable
Specific Gravity		No data available
Gas Density		0.075 lb/ft ³ @70°F as vapor
Boiling Range/Point (°C/F)		-196°C/-321 °F
Melting Point (°C/F)		-210°C/-346 °F
Flash Point (PMCC) (°C/F)		Not flammable
Vapor Pressure		No data available
Evaporation Rate (BuAc=1)		No data available
Solubility in Water		0.2 g/l
Vapor Density (Air = 1)		0.97
VOC (g/l)		None
VOC (%)		None
Partition coefficient (n-octanol/water)		No data available
Viscosity		Not applicable
Auto-ignition Temperature		No data available
Decomposition Temperature		No data available
Upper explosive limit		Not explosive

9. PHYSICAL AND CHEMICAL PROPERTIES

Lower explosive limit	Not explosive
Flammability (solid, gas)	Not flammable

10. STABILITY AND REACTIVITY

Reactivity

Pressurized containers may rupture or explode if exposed to heat.

Chemical Stability

Stable under normal conditions.

Possibility of hazardous reactions

Hazardous polymerization will not occur.

Conditions to Avoid

Exposure to direct sunlight - ultraviolet light - contact with incompatible materials

Incompatible Materials

Strong bases - amines - alcohols - water

Hazardous Decomposition Products

Oxides of carbon - hydrogen fluoride - perfluoroisobutylene

11. TOXICOLOGICAL INFORMATION

Acute Toxicity

3M™ Novec™ 1230

Oral LD50 (rat) >2000 mg/kg

Dermal LD50 (rat) >2000mg/kg

Inhalation LC50 (rat) >1227 mg/l 4hr

Nitrogen

Simple asphyxiant

Specific Target Organ Toxicity (STOT) – single exposure

3M™ Novec™ 1230: All data were negative in a 2 hour rat inhalation study (nervous system). The NOAEL was determined to be 10,000ppm. All data were negative in a 17 minute dog inhalation study (cardiac sensitization).

Nitrogen: Exposure to nitrogen gas at high concentrations can cause suffocation by reducing oxygen available for breathing. Breathing very high concentrations can cause dizziness, shortness of breath, unconsciousness or asphyxiation.

Specific Target Organ Toxicity (STOT) – repeat exposure

3M™ Novec™ 1230: NOAEL from 90-day inhalation study was determined to be 3000ppm. Results indicate 3M™ Novec™ 1230 is not expected to cause target organ effects after repeat exposure.

Serious Eye damage/Irritation

3M™ Novec™ 1230: No significant irritation to skin in rabbit study.

Skin Corrosion/Irritation

3M™ Novec™ 1230: No significant irritation to skin in rabbit study.

11. TOXICOLOGICAL INFORMATION

Respiratory or Skin Sensitization

3M™ Novec™ 1230: Did not cause skin sensitization in guinea pig study.

Carcinogenicity

Not considered carcinogenic by NTP, IARC, and OSHA.

Germ Cell Mutagenicity

3M™ Novec™ 1230: Not mutagenic in both in vivo and in vitro testing.

Reproductive Toxicity

3M™ Novec™ 1230: Not toxic to male reproduction, female reproduction or development in rat inhalation study. The NOAEL was determined to be 3000ppm.

Aspiration Hazard

Not an aspiration hazard.

12. ECOLOGICAL INFORMATION

Ecotoxicity

3M™ Novec™ 1230

LC50 Zebra fish >1200mg/l 96h

EC50 Daphnia magna >1200mg/l 48h

EC50 Green algae 7.7mg/l 72h

Classified by ECHA as Aquatic Chronic 3: Harmful to aquatic life with long lasting effects.

Mobility in soil

3M™ Novec™ 1230: Product is highly insoluble in water and volatile.

Persistence/Degradability

3M™ Novec™ 1230: Photolytic half-life: 3 - 5 days. Persistent Photolytic degradation product: trifluoroacetic acid.

12. ECOLOGICAL INFORMATION

Bioaccumulative Potential

No relevant studies identified.

Other adverse effects

No relevant studies identified.

13. DISPOSAL CONSIDERATIONS

Disposal Methods

Dispose of container in accordance with all applicable local and national regulations.

14. TRANSPORT INFORMATION

Safety Data Sheet information is intended to address a specific material and not various forms or states of containment. Specific volumes, pressures or hardware configurations containing such materials can dictate various different hazard classifications for transportation and labelling requirements. Under Federal Regulations only trained and qualified individuals are permitted to label and ship products following the applicable Department of Transportation (DOT), Federal Aviation Administration (FAA), Transport Canada (TC), International Maritime Dangerous Goods (IMDG) or International Air Transport Association (IATA) requirements.

15. REGULATORY INFORMATION

United States TSCA Inventory

This product contains ingredients that are listed on or exempt from listing on the EPA Toxic Substance Control Act Chemical Substance Inventory.

Canada DSL Inventory

All ingredients in this product are listed on the Domestic Substance List (DSL) or the Non-Domestic Substance List (NDSL) or are exempt from listing.

SARA Title III Sect. 311/312 Categorization: Pressurized

Pressure hazard

SARA Title III Sect. 311/312 Categorization: Non-pressurized

None

SARA Title III Sect. 313

This product does not contain any chemicals that are listed in Section 313 at or above de minimis concentrations.

16. OTHER INFORMATION

NFPA Ratings

NFPA Code for Health - 3

NFPA Code for Flammability - 0

NFPA Code for Reactivity - 1

NFPA Code for Special Hazards - None

HMIS Ratings

HMIS Code for Health - 1

HMIS Code for Flammability - 0

HMIS Code for Physical Hazard - 1

HMIS Code for Personal Protection - See Section 8

*Chronic

16. OTHER INFORMATION

Legend

ACGIH: American Conference of Governmental Industrial Hygienists

CAS#: Chemical Abstracts Service Number

ECHA: European Chemicals Agency

EC50: Effect Concentration 50%

IARC: International Agency for Research on Cancer

LC50: Lethal Concentration 50%

LD50: Lethal Dose 50%

N/A: Denotes no applicable information found or available

OSHA: Occupational Safety and Health Administration

PEL: Permissible Exposure Limit

STEL: Short Term Exposure Limit

TLV: Threshold Limit Value

TSCA: Toxic Substance Control Act

Revision Date: April 10, 2015

Replaces: February 9, 2012

Changes made: Updated to GHS Classification.

Information Source and References

This SDS is prepared by Hazard Communication Specialists based on information provided by internal company references.

Prepared By: EnviroNet LLC.

3M and Novec are trademarks of 3M Company.

The information and recommendations presented in this SDS are based on sources believed to be accurate. Kidde-Fenwal, Inc. assumes no liability for the accuracy or completeness of this information. It is the user's responsibility to determine the suitability of the material for their particular purposes. In particular, we make **NO WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESS OR IMPLIED**, with respect to such information, and we assume no liability resulting from its use. Users should ensure that any use or disposal of the material is in accordance with applicable Federal, State, and local laws and regulations.